Agenda
Regular Council Meeting
Monday, December 20, 2021
Remote Zoom Format
6:30 p.m. – Caucus/Meeting to immediately follow
Live via Facebook @ http//facebook.com/lackawannany/

Meeting Called to Order/Pledge of Allegiance.
NB: Meeting being recorded.

Roll Call: **Council:** Ingram, Szymanski, Moretti, Surdyke, Marrano
Dept. Heads: Law, Development, Public Works, Public Safety, Comptroller, Recreation, PIO

Hearings from Citizens:

Approval of Minutes: of the regular meeting of December 8, 2021.

Departmental Reports:

1. **City Comptroller** - A/P Check Listing #18, dated December 2, 2021.
2. **City Comptroller** – A/P Check Listing #19, dated December 9, 2021.
3. **City Comptroller** – Capital Fund A/P Checking Account for November, 2021.
4. **City Clerk** – Monthly Revenue Report for November, 2021.

Communications from the Council:

5. **Council Member Ingram** – Requests the City Council address the following issues:

   - Issues with NFTA busses not showing up or showing up late.
   - When will the streetlights at the back of Wilkesbarre, where the Ridgewood Commons Apartments are located, be turned back on?
   - When will the City repair the fence behind Miracle Barber Shop and the Ridgewood Commons Apartments?

6. **Council Member Szymanski** – Submits a list of Second Ward street signs that are missing, faded, misspelled or damaged. On behalf of his constituents, Council Member Szymanski is requesting that they be replaced or corrected as soon as possible.

7. **Council Member Szymanski** – As per the attached supporting documentation regarding possible environmental issues, requests the City Council rescind the contract that was approved at the regular Council meeting of November 8, 2021 between Small Wireless Communications Facilities and the City of Lackawanna. A complete text of the attached study is available in the City Clerk's Office.

Communications from Division/Department Heads:

8. **City Clerk** – Requests the City Council re-appoint Tami Nicholson, Senior Bingo Inspector, at an annual salary of $1,700.00 a year, term to expire December 31, 2025.

9. **City Clerk** – Submits a resolution authorizing the City Council to extend the remote zoom meeting format through January 15, 2022.

   (A) A resolution extending the City Council meeting remote zoom format through January 15, 2022, as permitted by legislation passed by the New York State Legislature and signed into law by Governor Kathy Hochul.

10. **City Comptroller** – Advises the City Council of the following retirements from City service:

    - Police Officer Daniel Sawicki, effective October 2, 2021.
    - Police Officer Paul Fino, effective October 2, 2021.
    - Clerk Linda Smerka, effective October 31, 2021.

Business Registrations:

Maher Said, dba Haleez LLC (Dessert Shop), 954 Ridge Road.

Tabled Items:

Old Business:

Adjournment:

Any items to be placed on the agenda must be received by the City Clerk's Office by noon on the Wednesday before the scheduled meeting to be considered. General Citizen Communications, in lieu of in-person appearances, must be received by noon the day of the meeting

5

TO: City Clerk
FROM: 1st Ward Councilman, John Ingram
RE: Item I would like to put on the agenda
Date: December 14, 2021

I would like for the city council to address a couple of issue that has been brought to my attention by resident and my own concern pertaining to resident in the 1st ward and the citizens of Lackawanna.

1. As you know the NFTA bus services is vital to our citizens of Lackawanna who depends on the services to get to and from work also to allow are senior to get to their appointment or shopping and whatever else they would like to do. But lately we are having major problem with the buses not showing up or being late where are citizens cannot connect to their next bus which is causing them to either being late for work or not being able to go to work.. I am asking this council to help me in my request to get the NFTA to help resolve this problem. I will be sending out a letter to the NFTA to see how we resolve this issue

2. Mr. Marius Owens owner of Miracle Barbershop along with the resident of Ridgewood Commons at 264 Ridge Road have some major concern and would like some answer.
(A) When can they get the street lights turn on in the back of Wilkesbarre where the Ridgewood Commons Apt. are they are concern because they seen wild animals around them and they are concern for their safety.

   (B) When will the city fix that fence in back of Miracle Barbershop and the Ridgewood Commons Apt. which is need to either be fix or replaced this fence has been in need of repairs for years and if you are not going to fix it explain why .the resident are concern.

Thank you,

John Ingram
1st Ward Councilman

Lackawanna City Council
714 Ridge Road - Room 217
Lackawanna, NY 14218
Tel: (716) 827-6660 Fax: (716) 827-6453

(6)

December 14, 2021

Commissioner Anthony DeSantis
714 Ridge Rd.
Lackawanna, NY 14218

RE: MISSING, FADED, MISSPELLED, AND DAMAGED SECOND WARD STREET SIGNS

Commissioner DeSantis,

I will forward a list of some of the Second Ward street signs that are missing, faded, misspelled, or damaged and I am requesting on behalf of my constituents to have these signs replaced or corrected as soon as possible.

There will be others signs to be identified by future Councilman Carl Anderson.

Thank you,

Geoffrey M. Szymanski / JPD

Geoffrey M. Szymanski
2nd Ward Councilman

Missing, Misspelled, Faded, Damaged, Bent or To-Be-Added

Colton at St. Johns

Victory & St. Johns

Warsaw and Adrian

Grape & Franklin

Edgewood & Center

Stop Sign – Grape and Electric

Date

Cherry

Nelson

Pulaski

No Blocking Roadway – Kirby and South Park (to be added)

Orange

No Parking Here To Corner – Peach (upside-down)

Peach/Franklin

Currant/Electric

No Parking Here to Corner – Electric/Maple Grove

No Parking Here to Corner – Krakow/Franklin

Krakow/ Center

Stop Sign Electric/Kirby (West side of street)

Kirby/Electric (West Side of street)

No Parking Here To Corner – Elkhart/Electric (faded) & Modern/Electric

Fremont (misspelled) (X2)

Kimberly Ln.

Honorable Council President Marrano
Honorable Members of the City Council
City Attorney Juda

7

December 14, 2021

RE: RESINDING THE VOTE FOR SMALL WIRELESS COMMUNICATION

Honorable Members of the City Council;

On the October 25, 2021 agenda, there was an item placed on the agenda by the city attorney requesting this body approve a contract with Small Wireless Communication Facilities. There were some questions that were unanswered at the meeting and ultimately tabled for further study.

On October 26, 2021, the following day, an article by Dr. Beverly Rubik and Dr. Robert R. Brown was published online on the federal government website: The National Center for Biotechnology Information, National Library of Medicine; National Institute for Health (https://www.ncbi.nlm.nih.gov/labs/pmc/articles/PMC8580522/).

Dr. Rubik is associated with the Department of Mind-Body Medicine, College of Integrative Medicine and Health Sciences, Saybrook University, Pasadena CA, USA, and Institute for Frontier Science, Oakland, CA, USA. and Dr. Robert R. Brown is associated with Department of Radiology, Hamot Hospital, University of Pittsburgh Medical Center, Erie, PA; Radiology Partners, Phoenix, AZ, USA.

I have clocked in the full article, 29 pages, to be carefully reviewed by my fellow lawmakers. In very brief summary, with new evidence that 5G wireless communication may cause severe illness and bodily harm and may have increased the COVID-19 pandemic by weakening human immunity along with a wide range of other adverse biological effects, I am requesting that this honorable body rescind our vote that was cast for approval on November 8, 2021, which allows 5G systems to be placed within the city of Lackawanna and disallow any further 5G implementation throughout out city. The report that is accompanying this letter is a scientific study that references 141 other scientific studies claiming the same; that 5G Wireless Communication Radiation is dangerous to human health.

If anything, I require my fellow councilmen to, at the very least, read the final section of this study; section 5 - the conclusion, which I've included.

In the conclusion of this study, WCR stands for Wireless Communication Radiation.

5. Conclusion

There is a substantial overlap in pathobiology between COVID-19 and WCR exposure. The evidence presented here indicates that mechanisms involved in the clinical progression of COVID-19 could also be generated, according to experimental data, by WCR exposure. Therefore, we propose a link between adverse bioeffects of WCR exposure from wireless devices and COVID-19.

Specifically, evidence presented here supports a premise that WCR and, in particular, 5G, which involves densification of 4G, may have exacerbated the COVID-19 pandemic by weakening host immunity and increasing SARS-CoV-2 virulence by (1) causing morphologic changes in erythrocytes including echinocyte and rouleaux formation that may be contributing to hypercoagulation; (2) impairing microcirculation and reducing erythrocyte and hemoglobin levels exacerbating hypoxia; (3) amplifying immune dysfunction, including immunosuppression, autoimmunity, and hyperinflammation; (4) increasing cellular oxidative stress and the production of free radicals exacerbating vascular injury and organ damage; (5) increasing intracellular Ca^{2+} essential for viral entry, replication, and release, in addition to promoting pro-inflammatory pathways; and (6) worsening heart arrhythmias and cardiac disorders.

WCR exposure is a widespread, yet often neglected, environmental stressor that can produce a wide range of adverse bioeffects. For decades, independent research scientists worldwide have emphasized the health risks and cumulative damage caused by WCR [42,45]. The evidence presented here is consistent with a large body of established research. Healthcare workers and policymakers should consider WCR a potentially toxic environmental stressor. Methods for reducing WCR exposure should be provided to all patients and the general population.

This study was not produced by conspiracy theorists, but rather, reputable scientists whose study was posted by our nation's own National Institute for Health.gov website. This warning is to be taken seriously and so should this vote. This research paper specifically calls on policymakers to consider Wireless Communication Radiation a potential toxic environmental stressor.

Respectfully,

Geoffrey M. Szymanski
2nd Ward Councilman

Moved by Marrano seconded by Ingram to approve request.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

Requests Approval of Ordinance to Rescind the No Left Turn from Ridge Road onto Lehigh Avenue.

8. To: Honorable Council,
I am asking the council to rescind the no left hand turn from the westbound lane on Ridge Road south onto Lehigh Avenue.
If you have any questions, please contact me.
Thank you,
ANTHONY DESANTIS, COMMISSIONER OF PUBLIC WORKS

Moved by Marrano seconded by Ingram to receive and file, act on ordinance.
Yeas: Ingram, Moretti, Surdyke, Marrano
Nay: Szymanski Carried 4-1

ORDINANCE

AN ORDINANCE AMENDING CHAPTER 215, TRAFFIC AND VEHICLES, OF THE CITY OF LACKAWANNA MUNICIPAL CODE.

BE IT ENACTED by the City Council of the City of Lackawanna, New York that City Code Chapter 215.9 Turning movements shall be amended by rescinding the following:

215.9(A) (2) Vehicles proceeding west on Ridge Road are prohibited from turning left onto Lehigh Avenue.

THIS ORDINANCE SHALL TAKE EFFECT IMMEDIATELY.

Dated: October 25, 2021
Lackawanna, New York

Moved by Marrano seconded by Moretti to adopt ordinance as written.
Yeas: Ingram, Moretti, Surdyke, Marrano
Nay: Szymanski Carried 4-1

Requests Approval of Contract Between Small Wireless Communications Facilities and the City of Lackawanna.

9. To: Jeffrey DePasquale, City Clerk
714 Ridge Road
Lackawanna, New York 14218
Re: Contract between Small Wireless Communications Facilities and the City of Lackawanna
Dear Mr. DePasquale:
Please put the attached contract on the agenda for council approval.
Very truly yours,
RICHARD S. JUDA, JR., CITY ATTORNEY
A copy of this information can be obtained by contacting the City Clerk's Office.

10/25/21

Moved by Marrano seconded by Szymanski to **TABLE** request pending further information regarding ownership of the power poles.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

Requests Approval of Ordinance for Budget Transfer for the Ridge Road Mill and Paving Project.

10. To: Honorable Frederic J. Marrano, President
Honorable Members of the City Council
714 Ridge Road
Lackawanna, NY 14218

Dear Council Members:

Please approve the attached budget transfer of $100,000.00 for the Ridge Road Mill and Overlay Paving Project. This amount is necessary to fund the difference between the original estimate and the final bid awarded including the change order for the signals. These funds will be reimbursed back to the City through CHIPS funding of $120,000.00 grant through Erie County.

If you have any questions please feel free to contact Anthony DeSantis or myself.

Sincerely,

CAROLYN A. NICOMETO, CITY COMPTROLLER

Moved by Marrano seconded by Ingram to receive and file, act on ordinance.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

ORDINANCE

AN ORDINANCE AMENDING THE 2021-2022 BUDGET ORDINANCE ADOPTED MAY 18, 2021.

BE IT ENACTED by the City Council of the City of Lackawanna, New York as follows:

SECTION 1. That the 2021-2022 Budget Ordinance adopted May 18, 2021 is hereby amended for the transfer funds for the Ridge Road Mill and Overlay Paving Project 2021 from the General Fund Balance.

SECTION 2. That the 2021-2022 Budget Ordinance is hereby amended to increase budget code H.5110.205 Ridge Road Mill and Overlay Paving Project by $100,000.00.

SECTION 3. That the 2021-22 Budget Ordinance is hereby amended to increase budget code H.0000.5013 Interfund Transfers by $100,000.00.

SECTION 4. That the 2021-22 Budget Ordinance is hereby amended to increase budget code A.9000.9550 Transfer to Capital Account by $100,000.00.

SECTION 5. That the 2021-2022 Budget Ordinance is hereby amended to appropriate $100,000.00 of the City's Fund Balance.

THIS ORDINANCE SHALL TAKE EFFECT IMMEDIATELY.

Dated: October 25, 2021
Lackawanna, New York

10/25/21

SECTION 1. That the 2021-2022 Budget Ordinance adopted May 18, 2021 is hereby amended to increase appropriations for Garbage and Refuse – Garbage Totes.

SECTION 2. That the 2021-2022 Budget Ordinance is hereby amended to increase $9,890.90 to budget code CL.8160.202 Garbage and Refuse – Garbage Totes.

SECTION 3. That the 2021-2022 Budget Ordinance is hereby amended to decrease $9,890.90 Appropriated Fund Balance – Special Revenue Fund.

THIS ORDINANCE SHALL TAKE EFFECT IMMEDIATELY.

Dated: November 8, 2021
Lackawanna, New York

Moved by Marrano seconded by Moretti to adopt ordinance as written.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

Business Registrations:

Anitra R. Huff, dba Your Decoration Destination, 2741-C, South Park Avenue.

Moved by Marrano seconded by Ingram to approve Business Registration.
Yeas: Ingram, Moretti, Surdyke, Marrano
Nay: Szymanski Carried 4-1

Ivelisse Trujillo, dba Just Plan on IT, 727 Ridge Road.

Moved by Marrano seconded by Szymanski to approve Business Registration.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

Tabled Items:

Request to Remove TABLED Item Communication #9, meeting of October 25, 2021.

Moved by Szymanski seconded by Marrano to remove TABLED Communication #9 from the regular meeting of October 25, 2021 and act on same.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

Requests Approval of Contract Between the City of Lackawanna and Small Wireless Communications.
To: Lackawanna City Council
714 Ridge Road
Lackawanna, New York 14218
Re: Verizon Wireless Communications Facilities Contract
Hon. City Council:
This memo is in follow-up to my correspondence to the Council dated October 14, 2021 regarding the Verizon Wireless Communications Facilities Contract. Questions came up concerning ownership of poles

11/08/21

located in the City right-of-way. I point out that this agreement grants Verizon use of our right-of-way for the installation and maintenance of Verizon 5G Wireless network. Specifically it applies to the City owned poles but also authorizes Verizon the right to use our right-of-way if indeed enters into any agreements with the owners of any poles privately owned or owned by other utilities. We are only responsibly for maintaining our own poles. A responsibility which we already have. I trust the above answers any questions the Council may have.

Very truly yours,

RICHARD S. JUDA, JR., CITY ATTORNEY

Moved by Marrano seconded by Ingram to approve request.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

Request to Waive the Rules:

Moved by Marrano seconded by Moretti to waive the rules.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

Requests Approval of Resolution to Waive the Residency Requirement for Appointment of the City Assessor Position.

To: Honorable Council President
Honorable Council Members
714 Ridge Road
Lackawanna, NY 14218

Dear Honorable Body-

I hereby request the City Council "waive the rules" at the November 8th Council Meeting and vote to waive the residency requirement for Deborah Skulski-Wakelam, to be appointed as the City Assessor. Per Section 5-38 of the City Charter each officer and employee of the City during the period of his or her employment is to maintain his or her residence within the corporate limits of the City. As you know the shortage of qualified department heads within the City limits has led to previous requests for the same waiver.

I apologize for the short notice, but, our current Assessor is resigning. Mr. grifa has participated in the interview and is willing to help Deborah acclimate herself as the City Assessor.

Respectfully,

ANNETTE IAFALLO, MAYOR

Moved by Marrano seconded by Ingram to receive and file, act on resolution.
Yeas: Ingram, Szymanski, Moretti, Surdyke, Marrano Carried 5-0

RESOLUTION NO. 29, 2021

WHEREAS, Deborah Skulski-Wakelam shall be duly appointed by Mayor Annette Iafallo to the position of City Assessor, effective November 9, 2021; and

WHEREAS, the City Council is empowered to waive the requirement of residency in those instances where the employer has difficulty hiring or promoting the most qualified person because of the residency requirement;

11/08/21

- Journal List
- J Clin Transl Res
- v.7(5); 2021 Oct 26
- PMC8580522



J Clin Transl Res. 2021 Oct 26; 7(5): 666–681.
Published online 2021 Sep 29.
PMCID: PMC8580522
PMID: 34778597

Evidence for a connection between coronavirus disease-19 and exposure to radiofrequency radiation from wireless communications including 5G

Beverly Rubik[1,2,*] and Robert R. Brown[3]
Author information Article notes Copyright and License information Disclaimer

Go to:

Abstract

Background and Aim:

Coronavirus disease (COVID-19) public health policy has focused on the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) virus and its effects on human health while environmental factors have been largely ignored. In considering the epidemiological triad (agent-host-environment) applicable to all disease, we investigated a possible environmental factor in the COVID-19 pandemic: ambient radiofrequency radiation from wireless communication systems including microwaves and millimeter waves. SARS-CoV-2, the virus that caused the COVID-19 pandemic, surfaced in Wuhan, China shortly after the implementation of city-wide (fifth generation [5G] of wireless communications radiation [WCR]), and rapidly spread globally, initially demonstrating a statistical correlation to international communities with recently established 5G networks. In this study, we examined the peer-reviewed scientific literature on the detrimental bioeffects of WCR and identified several mechanisms by which WCR may have contributed to the COVID-19 pandemic as a toxic environmental cofactor. By crossing boundaries between the disciplines of biophysics and pathophysiology, we present evidence that WCR may: (1) cause morphologic changes in erythrocytes including echinocyte and rouleaux formation that can contribute to hypercoagulation; (2) impair microcirculation and

reduce erythrocyte and hemoglobin levels exacerbating hypoxia; (3) amplify immune system dysfunction, including immunosuppression, autoimmunity, and hyperinflammation; (4) increase cellular oxidative stress and the production of free radicals resulting in vascular injury and organ damage; (5) increase intracellular Ca^{2+} essential for viral entry, replication, and release, in addition to promoting pro-inflammatory pathways; and (6) worsen heart arrhythmias and cardiac disorders.

Relevance for Patients:

In short, WCR has become a ubiquitous environmental stressor that we propose may have contributed to adverse health outcomes of patients infected with SARS-CoV-2 and increased the severity of the COVID-19 pandemic. Therefore, we recommend that all people, particularly those suffering from SARS-CoV-2 infection, reduce their exposure to WCR as much as reasonably achievable until further research better clarifies the systemic health effects associated with chronic WCR exposure.

Keywords: COVID-19, Coronavirus, coronavirus disease-19, severe acute respiratory syndrome, coronavirus 2, electromagnetic stress, electromagnetic fields, environmental factor, microwave, millimeter wave, pandemic, public health, radio frequency, radiofrequency, wireless
Go to:

1. Introduction

1.1. Background

Coronavirus disease 2019 (COVID-19) has been the focus of international public health policy since 2020. Despite unprecedented public health protocols to quell the pandemic, the number of COVID-19 cases continues to rise. We propose a reassessment of our public health strategies.

According to the Center for Disease Control and Prevention (CDC), the simplest model of disease causation is the epidemiological triad consisting of three interactive factors: the agent (pathogen), the environment, and the health status of the host [1]. Extensive research is being done on the agent, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2). Risk factors that make a host more likely to succumb to the disease have been elucidated. However, environmental factors have not been sufficiently explored. In this paper, we investigated the role of wireless communication radiation (WCR), a widespread environmental stressor.

We explore the scientific evidence suggesting a possible relationship between COVID-19 and radiofrequency radiation related to wireless communications technology including fifth generation (5G) of wireless communications technology, henceforth referred to as WCR. WCR has already been recognized as a form of environmental pollution and physiological stressor [2]. Assessing the potentially detrimental health effects of WCR may be crucial to develop an effective, rational public health policy that may help expedite eradication of the COVID-19 pandemic. In addition, because we are on the verge of worldwide 5G deployment, it is critical to consider the possible damaging health effects of WCR before the public is potentially harmed.

5G is a protocol that will use high frequency bands and extensive bandwidths of the electromagnetic spectrum in the vast radiofrequency range from 600 MHz to nearly 100 GHz, which includes millimeter waves (>20 GHz), in addition to the currently used third generation (3G) and fourth generation (4G) long-term evolution (LTE) microwave bands. 5G frequency spectrum allocations differ from country to country. Focused pulsed beams of radiation will emit from new base stations and phased array antennas placed close to buildings whenever persons access the 5G network. Because these high frequencies are strongly absorbed by the atmosphere and especially during rain, a transmitter's range is limited to 300 meters. Therefore, 5G requires base stations and antennas to be much more closely spaced than previous generations. Plus, satellites in space will emit 5G bands globally to create a wireless worldwide web. The new system therefore requires significant densification of 4G infrastructure as well as new 5G antennas that may dramatically increase the population's WCR exposure both inside structures and outdoors. Approximately 100,000 emitting satellites are planned to be launched into orbit. This infrastructure will significantly alter the world's electromagnetic environment to unprecedented levels and may cause unknown consequences to the entire biosphere, including humans. The new infrastructure will service the new 5G devices, including 5G mobile phones, routers, computers, tablets, self-driving vehicles, machine-to-machine communications, and the Internet of Things.

The global industry standard for 5G is set by the 3G Partnership Project (3GPP), which is an umbrella term for several organizations developing standard protocols for mobile telecommunications. The 5G standard specifies all key aspects of the technology, including frequency spectrum allocation, beam-forming, beam steering, multiplexing multiple in, multiple out schemes, as well as modulation schemes, among others. 5G will utilize from 64 to 256 antennas at short distances to serve virtually simultaneously a large number of devices within a cell. The latest finalized 5G standard, Release 16, is codified in the 3GPP published Technical Report TR 21.916 and may be downloaded from the 3GPP server at https://www.3gpp.org/specifications. Engineers claim that 5G will offer performance up to 10 times that of current 4G networks [3].

COVID-19 began in Wuhan, China in December 2019, shortly after city-wide 5G had "gone live," that is, become an operational system, on October 31, 2019. COVID-19 outbreaks soon followed in other areas where 5G had also been at least partially implemented, including South Korea, Northern Italy, New York City, Seattle, and Southern California. In May 2020, Mordachev [4] reported a statistically significant correlation between the intensity of radiofrequency radiation and the mortality from SARS-CoV-2 in 31 countries throughout the world. During the first pandemic wave in the United States, COVID-19 attributed cases and deaths were statistically higher in states and major cities with 5G infrastructure as compared with states and cities that did not yet have this technology [5].

There is a large body of peer reviewed literature, since before World War II, on the biological effects of WCR that impact many aspects of our health. In examining this literature, we found intersections between the pathophysiology of SARS-CoV-2 and detrimental bioeffects of WCR exposure. Here, we present the evidence suggesting that WCR has been a possible contributing factor exacerbating COVID-19.

1.2. Overview on COVID-19

The clinical presentation of COVID-19 has proven to be highly variable, with a wide range of symptoms and variability from case to case. According to the CDC, early disease symptoms may include sore throat, headache, fever, cough, chills, among others. More severe symptoms including shortness of breath, high fever, and severe fatigue may occur in a later stage. The neurological sequela of taste and smell loss has also been described.

Ing *et al.* [6] determined 80% of those affected have mild symptoms or none, but older populations and those with comorbidities, such as hypertension, diabetes, and obesity, have a greater risk for severe disease [7]. Acute respiratory distress syndrome (ARDS) can rapidly occur [8] and cause severe shortness of breath as endothelial cells lining blood vessels and epithelial cells lining airways lose their integrity, and protein rich fluid leaks into adjacent air sacs. COVID-19 can cause insufficient oxygen levels (hypoxia) that have been seen in up to 80% of intensive care unit (ICU) patients [9] exhibiting respiratory distress. Decreased oxygenation and elevated carbon dioxide levels in patients' blood have been observed, although the etiology for these findings remains unclear.

Massive oxidative damage to the lungs has been observed in areas of airspace opacification documented on chest radiographs and computed tomography (CT) scans in patients with SARS-CoV-2 pneumonia [10]. This cellular stress may indicate a biochemical rather than a viral etiology [11].

Because disseminated virus can attach itself to cells containing an angiotensin-converting enzyme 2 (ACE2) receptor; it can spread and damage organs and soft tissues throughout the body, including the lungs, heart, intestines, kidneys, blood vessels, fat, testes, and ovaries, among others. The disease can increase systemic inflammation and induce a hypercoagulable state. Without anticoagulation, intravascular blood clots can be devastating [12].

In COVID-19 patients referred to as "long-haulers," symptoms can wax and wane for months [13]. Shortness of breath, fatigue, joint pain, and chest pain can become persistent symptoms. Post-infectious brain fog, cardiac arrhythmia, and new onset hypertension have also been described. Long-term chronic complications of COVID-19 are being defined as epidemiological data are collected over time.

As our understanding of COVID-19 continues to evolve, environmental factors, particularly those of wireless communication electromagnetic fields, remain unexplored variables that may be contributing to the disease including its severity in some patients. Next, we summarize the bioeffects of WCR exposure from the peer reviewed scientific literature published over decades.

1.3. Overview on bioeffects of WCR exposure

Organisms are electrochemical beings. Low-level WCR from devices, including mobile telephony base antennas, wireless network protocols utilized for the local networking of devices and internet access, trademarked as Wi-Fi (officially IEEE 802.11b Direct Sequence protocol; IEEE, Institute of Electrical and Electronic Engineers) by the Wi-Fi alliance, and mobile phones,

among others, may disrupt regulation of numerous physiological functions. Non-thermal bioeffects (below the power density that causes tissue heating) from very low-level WCR exposure have been reported in numerous peer-reviewed scientific publications at power densities below the International Commission on Non-Ionizing Radiation Protection (ICNIRP) exposure guidelines [14]. Low-level WCR has been found to impact the organism at all levels of organization, from the molecular to the cellular, physiological, behavioral, and psychological levels. Moreover, it has been shown to cause systemic detrimental health effects including increased cancer risk [15], endocrine changes [16], increased free radical production [17], deoxyribonucleic acid (DNA) damage [18], changes to the reproductive system [19], learning and memory defects [20], and neurological disorders [21]. Having evolved within Earth's extremely low-level natural radiofrequency background, organisms lack the ability to adapt to heightened levels of unnatural radiation of wireless communications technology with digital modulation that includes short intense pulses (bursts).

The peer-reviewed world scientific literature has documented evidence for detrimental bioeffects from WCR exposure including 5G frequencies over several decades. The Soviet and Eastern European literature from 1960 to 1970s demonstrates significant biological effects, even at exposure levels more than 1000 times below 1 mW/cm^2, the current guideline for maximum public exposure in the US. Eastern studies on animal and human subjects were performed at low exposure levels (<1 mW/cm^2) for long durations (typically months). Adverse bioeffects from WCR exposure levels below 0.001 mW/cm^2 have also been documented in the Western literature. Damage to human sperm viability including DNA fragmentation by internet-connected laptop computers at power densities from 0.0005 to 0.001 mW/cm^2 has been reported [22]. Chronic human exposure to 0.000006 – 0.00001 mW/cm^2 produced significant changes in human stress hormones following a mobile phone base station installation [23]. Human exposures to cell phone radiation at 0.00001 – 0.00005 mW/cm^2 resulted in complaints of headache, neurological problems, sleep problems, and concentration problems, corresponding to "microwave sickness" [24,25]. The effects of WCR on prenatal development in mice placed near an "antenna park" exposed to power densities from 0.000168 to 0.001053 mW/cm^2 showed a progressive decrease in the number of newborns and ended in irreversible infertility [26]. Most US research has been performed over short durations of weeks or less. In recent years, there have been few long-term studies on animals or humans.

Illness from WCR exposure has been documented since the early use of radar. Prolonged exposure to microwaves and millimeter waves from radar was associated with various disorders termed "radio-wave sickness" decades ago by Russian scientists. A wide variety of bioeffects from nonthermal power densities of WCR were reported by Soviet research groups since the 1960s. A bibliography of over 3700 references on the reported biological effects in the world scientific literature was published in 1972 (revised 1976) by the US Naval Medical Research Institute [27,28]. Several relevant Russian studies are summarized as follows. Research on *Escherichia coli* bacteria cultures show power density windows for microwave resonance effects for 51.755 GHz stimulation of bacterial growth, observed at extremely low power densities of 10^{-13} mW/cm^2 [29], illustrating an extremely low level bioeffect. More recently Russian studies confirmed earlier results of Soviet research groups on the effects of 2.45 GHz at 0.5 mW/cm^2 on rats (30 days exposure for 7 h/day), demonstrating the formation of antibodies to the brain (autoimmune response) and stress reactions [30]. In a long-term (1 – 4 year) study comparing

children who use mobile phones to a control group, functional changes, including greater fatigue, decreased voluntary attention, and weakening of semantic memory, among other adverse psychophysiological changes, were reported [31]. Key Russian research reports that underlie the scientific basis for Soviet and Russian WCR exposure guidelines to protect the public, which are much lower than the US guidelines, have been summarized [32].

By comparison to the exposure levels employed in these studies, we measured the ambient level of WCR from 100 MHz to 8 GHz in downtown San Francisco, California in December, 2020, and found an average power density of 0.0002 mW/cm^2. This level is from the superposition of multiple WCR devices. It is approximately 2×10^{10} times above the natural background.

Pulsed radio-frequency radiation such as WCR exhibits substantially different bioeffects, both qualitatively and quantitatively (generally more pronounced) compared to continuous waves at similar time-averaged power densities [33-36]. The specific interaction mechanisms are not well understood. All types of wireless communications employ extremely low frequency (ELFs) in the modulation of the radiofrequency carrier signals, typically pulses to increase the capacity of information transmitted. This combination of radiofrequency radiation with ELF modulation(s) is generally more bioactive, as it is surmised that organisms cannot readily adapt to such rapidly changing wave forms [37-40]. Therefore, the presence of ELF components of radiofrequency waves from pulsing or other modulations must be considered in studies on the bioeffects of WCR. Unfortunately, the reporting of such modulations has been unreliable, especially in older studies [41].

The BioInitiative Report [42], authored by 29 experts from ten countries, and updated in 2020, provides a scholarly contemporary summary of the literature on the bioeffects and health consequences from WCR exposure, including a compendium of supporting research. Recent reviews have been published [43-46]. Two comprehensive reviews on the bioeffects of millimeter waves report that even short-term exposures produce marked bioeffects [47,48].

Go to:

2. Methods

An ongoing literature study of the unfolding pathophysiology of SARS-CoV-2 was performed. To investigate a possible connection to bioeffects from WCR exposure, we examined over 250 peer-reviewed research reports from 1969 to 2021, including reviews and studies on cells, animals, and humans. We included the world literature in English and Russian reports translated to English, on radio frequencies from 600 MHz to 90 GHz, the carrier wave spectrum of WCR (2G to 5G inclusive), with particular emphasis on nonthermal, low power densities (<1 mW/cm^2), and long-term exposures. The following search terms were used in queries in MEDLINE® and the Defense Technical Information Center (https://discover.dtic.mil) to find relevant study reports: radiofrequency radiation, microwave, millimeter wave, radar, MHz, GHz, blood, red blood cell, erythrocyte, hemoglobin, hemodynamic, oxygen, hypoxia, vascular, inflammation, pro-inflammatory, immune, lymphocyte, T cell, cytokine, intracellular calcium, sympathetic function, arrhythmia, heart, cardiovascular, oxidative stress, glutathione, reactive oxygen species (ROS), COVID-19, virus, and SARS-CoV-2. Occupational studies on WCR

exposed workers were included in the study. Our approach is akin to Literature-Related Discovery, in which two concepts that have heretofore not been linked are explored in the literature searches to look for linkage(s) to produce novel, interesting, plausible, and intelligible knowledge, that is, potential discovery [49]. From analysis of these studies in comparison with new information unfolding on the pathophysiology of SARS-CoV-2, we identified several ways in which adverse bioeffects of WCR exposure intersect with COVID-19 manifestations and organized our findings into five categories.

Go to:

3. Results

Table 1 lists the manifestations common to COVID-19 including disease progression and the corresponding adverse bioeffects from WCR exposure. Although these effects are delineated into categories — blood changes, oxidative stress, immune system disruption and activation, increased intracellular calcium (Ca^{2+}), and cardiac effects — it must be emphasized that these effects are not independent of each other. For example, blood clotting and inflammation have overlapping mechanisms, and oxidative stress is implicated in erythrocyte morphological changes as well as in hypercoagulation, inflammation, and organ damage.

Table 1

Bioeffects of Wireless Communication Radiation (WCR) exposure in relation to COVID-19 manifestations and their progression

Wireless communications radiation (WCR) exposure bioeffects	COVID-19 manifestations
Blood changes Short-term: rouleaux, echinocytes Long-term: reduced blood clotting time, reduced hemoglobin, hemodynamic disorders	**Blood changes** Rouleaux, echinocytes Hemoglobin effects; vascular effects →Reduced hemoglobin in severe disease; autoimmune hemolytic anemia; hypoxemia and hypoxia →Endothelial injury; impaired microcirculation; hypercoagulation; disseminated intravascular coagulopathy (DIC); pulmonary embolism; stroke
Oxidative stress Glutathione level decrease; free radicals and lipid peroxide increase; superoxide dismutase activity decrease; oxidative injury in tissues and organs	**Oxidative stress** Glutathione level decrease; free radical increase and damage; apoptosis→Oxidative injury; organ damage in severe disease
Immune system disruption and activation Immune suppression in some studies; immune hyperactivation in other studies Long-term: suppression of T-	**Immune system disruption and activation** Decreased production of T-lymphocytes; elevated inflammatory biomarkers. →Immune hyperactivation and inflammation; cytokine storm in severe disease; cytokine-induced

Wireless communications radiation (WCR) exposure bioeffects	COVID-19 manifestations
lymphocytes; inflammatory biomarkers increased; autoimmunity; organ injury	hypo-perfusion with resulting hypoxia; organ injury; organ failure
Increased intracellular calcium From activation of voltage-gated calcium channels on cell membranes, with numerous secondary effects	**Increased intracellular calcium** →Increased virus entry, replication, and release →Increased NF-κB, pro-inflammatory processes, coagulation, and thrombosis
Cardiac effects Up-regulation of sympathetic nervous system; palpitations and arrhythmias	**Cardiac effects** Arrhythmias →Myocarditis; myocardial ischemia; cardiac injury; cardiac failure

Open in a separate window

Supportive evidence including study details and citations are provided in the text under each subject heading, i.e., blood changes, oxidative stress, etc.

3.1. Blood changes

WCR exposure can cause morphologic changes in blood readily seen through phase contrast or dark-field microscopy of live peripheral blood samples. In 2013, Havas observed erythrocyte aggregation including rouleaux (rolls of stacked red blood cells) in live peripheral blood samples following 10 min human exposure to a 2.4 GHz cordless phone [50]. Although not peer reviewed, one of us (Rubik) investigated the effect of 4G LTE mobile phone radiation on the peripheral blood of ten human subjects, each of whom had been exposed to cell phone radiation for two consecutive 45-min intervals [51]. Two types of effects were observed: increased stickiness and clumping of red blood cells with rouleaux formation, and subsequent formation of echinocytes (spiky red blood cells). Red blood cell clumping and aggregation are known to be actively involved in blood clotting [52]. The prevalence of this phenomenon on exposure to WCR in the human population has not yet been determined. Larger controlled studies should be performed to further investigate this phenomenon.

Similar red blood cell changes have been described in peripheral blood of COVID-19 patients [53]. Rouleaux formation has been observed in 1/3 of COVID-19 patients, whereas spherocytes and echinocyte formation is more variable. Spike protein engagement with ACE2 receptors on cells lining the blood vessels can lead to endothelial damage, even when isolated [54]. Rouleaux formation, particularly in the setting of underlying endothelial damage, can clog the microcirculation, impeding oxygen transport, contributing to hypoxia, and increasing the risk of thrombosis [52]. Thrombogenesis associated with SARS-CoV-2 infection may also be caused by direct viral binding to ACE2 receptors on platelets [55].

Additional blood effects have been observed in both humans and animals exposed to WCR. In 1977, a Russian study reported that rodents irradiated with 5 – 8 mm waves (60 – 37 GHz) at 1 mW/cm^2 for 15 min/day over 60 days developed hemodynamic disorders, suppressed red blood cell formation, reduced hemoglobin, and an inhibition of oxygen utilization (oxidative

phosphorylation by the mitochondria) [56]. In 1978, a 3-year Russian study on 72 engineers exposed to millimeter wave generators emitting at 1 mW/cm^2 or less showed a decrease in their hemoglobin levels and red blood cell counts, and a tendency toward hypercoagulation, whereas a control group showed no changes [57]. Such deleterious hematologic effects from WCR exposure may also contribute to the development of hypoxia and blood clotting observed in COVID-19 patients.

It has been proposed that the SARS-CoV-2 virus attacks erythrocytes and causes degradation of hemoglobin [11]. Viral proteins may attack the 1-beta chain of hemoglobin and capture the porphyrin, along with other proteins from the virus catalyzing the dissociation of iron from heme [58]. In principle this would reduce the number of functional erythrocytes and cause the release of free iron ions that could cause oxidative stress, tissue damage, and hypoxia. With hemoglobin partially destroyed and lung tissue damaged by inflammation, patients would be less able to exchange carbon dioxide (CO_2) and oxygen (O_2), and would become oxygen depleted. In fact, some COVID-19 patients show reduced hemoglobin levels, measuring 7.1 g/L and even as low as 5.9 g/L in severe cases [59]. Clinical studies of almost 100 patients from Wuhan revealed that the hemoglobin levels in the blood of most patients infected with SARS-CoV-2 are significantly lowered resulting in compromised delivery of oxygen to tissues and organs [60]. In a meta-analysis of four studies with a total of 1210 patients and 224 with severe disease, hemoglobin values were reduced in COVID-19 patients with severe disease compared to those with milder forms [59]. In another study on 601 COVID-19 patients, 14.7% of anemic COVID-19 ICU patients and 9% of non-ICU COVID-19 patients had autoimmune hemolytic anemia [61]. In patients with severe COVID-19 disease, decreased hemoglobin along with elevated erythrocyte sedimentation rate (ESR), C-reactive protein, lactate dehydrogenase, albumin [62], serum ferritin [63], and low oxygen saturation [64] provide additional support for this hypothesis. In addition, packed red blood cell transfusion may promote recovery of COVID-19 patients with acute respiratory failure [65].

In short, both WCR exposure and COVID-19 may cause deleterious effects on red blood cells and reduced hemoglobin levels contributing to hypoxia in COVID-19. Endothelial injury may further contribute to hypoxia and many of the vascular complications seen in COVID-19 [66] that are discussed in the next section.

3.2. Oxidative stress

Oxidative stress is a non-specific pathological condition reflecting an imbalance between an increased production of ROS and an inability of the organism to detoxify the ROS or to repair the damage they cause to biomolecules and tissues [67]. Oxidative stress can disrupt cell signaling, cause the formation of stress proteins, and generate highly reactive free radicals, which can cause DNA and cell membrane damage.

SARS-CoV-2 inhibits intrinsic pathways designed to reduce ROS levels, thereby increasing morbidity. Immune dysregulation, that is, the upregulation of interleukin (IL)-6 and tumor necrosis factor α (TNF-α) [68] and suppression of interferon (IFN) α and IFN β [69] have been identified in the cytokine storm accompanying severe COVID-19 infections and generates

oxidative stress [10]. Oxidative stress and mitochondrial dysfunction may further perpetuate the cytokine storm, worsening tissue damage, and increasing the risk of severe illness and death.

Similarly low-level WCR generates ROS in cells that cause oxidative damage. In fact, oxidative stress is considered to be one of the primary mechanisms in which WCR exposure causes cellular damage. Among 100 currently available peer-reviewed studies investigating oxidative effects of low-intensity WCR, 93 of these studies confirmed that WCR induces oxidative effects in biological systems [17]. WCR is an oxidative agent with a high pathogenic potential especially when exposure is continuous [70].

Oxidative stress is also an accepted mechanism causing endothelial damage [71]. This may manifest in patients with severe COVID-19 in addition to increasing the risk for blood clot formation and worsening hypoxemia [10]. Low levels of glutathione, the master antioxidant, have been observed in a small group of COVID-19 patients, with the lowest level found in the most severe cases [72]. The finding of low glutathione levels in these patients further supports oxidative stress as a component of this disease [72]. In fact, glutathione, the major source of sulfhydryl-based antioxidant activity in the human body, may be pivotal in COVID-19 [73]. Glutathione deficiency has been proposed as the most likely cause of serious manifestations in COVID-19 [72]. The most common co-morbidities, hypertension [74]; obesity [75]; diabetes [76]; and chronic obstructive pulmonary disease [74] support the concept that pre-existing conditions causing low levels of glutathione may work synergistically to create the "perfect storm" for both the respiratory and vascular complications of severe infection. Another paper citing two cases of COVID-19 pneumonia treated successfully with intravenous glutathione also supports this hypothesis [77].

Many studies report oxidative stress in humans exposed to WCR. Peraica *et al.* [78] found diminished blood levels of glutathione in workers exposed to WCR from radar equipment (0.01 mW/cm^2 – 10 mW/cm^2; 1.5 – 10.9 GHz). Garaj-Vrhovac *et al.* [79] studied bioeffects following exposure to non-thermal pulsed microwaves from marine radar (3 GHz, 5.5 GHz, and 9.4 GHz) and reported reduced glutathione levels and increased malondialdehyde (marker for oxidative stress) in an occupationally exposed group [79]. Blood plasma of individuals residing near mobile phone base stations showed significantly reduced glutathione, catalase, and superoxide dismutase levels over unexposed controls [80]. In a study on human exposure to WCR from mobile phones, increased blood levels of lipid peroxide were reported, while enzymatic activities of superoxide dismutase and glutathione peroxidase in the red blood cells decreased, indicating oxidative stress [81].

In a study on rats exposed to 2450 MHz (wireless router frequency), oxidative stress was implicated in causing red blood cell lysis (hemolysis) [82]. In another study, rats exposed to 945 MHz (base station frequency) at 0.367 mW/cm^2 for 7 h/day, over 8 days, demonstrated low glutathione levels and increased malondialdehyde and superoxide dismutase enzyme activity, hallmarks for oxidative stress [83]. In a long-term controlled study on rats exposed to 900 MHz (mobile phone frequency) at 0.0782 mW/cm^2 for 2 h/day for 10 months, there was a significant increase in malondialdehyde and total oxidant status over controls [84]. In another long-term controlled study on rats exposed to two mobile phone frequencies, 1800 MHz and 2100 MHz, at power densities 0.04 – 0.127 mW/cm^2 for 2 h/day over 7 months, significant alterations in

oxidant-antioxidant parameters, DNA strand breaks, and oxidative DNA damage were found [85].

There is a correlation between oxidative stress and thrombogenesis [86]. ROS can cause endothelial dysfunction and cellular damage. The endothelial lining of the vascular system contains ACE2 receptors that are targeted by SARS-CoV-2. The resulting endotheliitis can cause luminal narrowing and result in diminished blood flow to downstream structures. Thrombi in arterial structures can further obstruct blood flow causing ischemia and/or infarcts in involved organs, including pulmonary emboli and strokes. Abnormal blood coagulation leading to micro-emboli was a recognized complication early in the history of COVID-19 [87]. Out of 184 ICU COVID-19 patients, 31% showed thrombotic complications [88]. Cardiovascular clotting events are a common cause of COVID-19 deaths [12]. Pulmonary embolism, disseminated intravascular coagulation (DIC), liver, cardiac, and renal failure have all been observed in COVID-19 patients [89].

Patients with the highest cardiovascular risk factors in COVID-19 includ males, the elderly, diabetics, and obese and hypertensive patients. However, increased incidence of strokes in younger patients with COVID-19 has also been described [90].

Oxidative stress is caused by WCR exposure and is known to be implicated in cardiovascular disease. Ubiquitous environmental exposure to WCR may contribute to cardiovascular disease by creating a chronic state of oxidative stress [91]. This would lead to oxidative damage to cellular constituents and alter signal transduction pathways. In addition, pulse-modulated WCR can cause oxidative injury in liver, lung, testis, and heart tissues mediated by lipid peroxidation, increased levels of nitric oxides, and suppression of the antioxidant defense mechanism [92].

In summary, oxidative stress is a major component in the pathophysiology of COVID-19 as well as in cellular damage caused by WCR exposure.

3.3. Immune system disruption and activation

When SARS-CoV-2 first infects the human body, it attacks cells lining the nose, throat, and upper airway harboring ACE2 receptors. Once the virus gains access to a host cell through one of its spike proteins, which are the multiple protuberances projecting from the viral envelope that bind to ACE2 receptors, it converts the cell into a virus self-replicating entity.

In response to COVID-19 infection, both an immediate systemic innate immune response as well as a delayed adaptive response has been shown to occur [93]. The virus can also cause a dysregulation of the immune response, particularly in the decreased production of T-lymphocytes. [94]. Severe cases tend to have lower lymphocyte counts, higher leukocyte counts and neutrophil-lymphocyte ratios, as well as lower percentages of monocytes, eosinophils, and basophils [94]. Severe cases of COVID-19 show the greatest impairment in T-lymphocytes.

In comparison, low-level WCR studies on laboratory animals also show impaired immune function [95]. Findings include physical alterations in immune cells, a degradation of immunological responses, inflammation, and tissue damage. Baranski [96] exposed guinea pigs

and rabbits to continuous or pulse-modulated 3000 MHz microwaves at an average power density of 3.5 mW/cm^2 for 3 h/day over 3 months and found nonthermal changes in lymphocyte counts, abnormalities in nuclear structure, and mitosis in the erythroblastic cell series in the bone marrow and in lymphoid cells in lymph nodes and spleen. Other investigators have shown diminished T-lymphocytes or suppressed immune function in animals exposed to WCR. Rabbits exposed to 2.1 GHz at 5mW/cm^2 for 3 h/day, 6 days/week, for 3 months, showed suppression of T-lymphocytes [97]. Rats exposed to 2.45 GHz and 9.7 GHz for 2 h/day, 7 days/week, for 21 months showed a significant decrease in the levels of lymphocytes and an increase in mortality at 25 months in the irradiated group [98]. Lymphocytes harvested from rabbits irradiated with 2.45 GHz for 23 h/day for 6 months show a significant suppression in immune response to a mitogen [99].

In 2009, Johansson conducted a literature review, which included the 2007 Bioinitiative Report. He concluded that electromagnetic fields (EMF) exposure, including WCR, can disturb the immune system and cause allergic and inflammatory responses at exposure levels significantly less than current national and international safety limits and raise the risk for systemic disease [100]. A review conducted by Szmigielski in 2013 concluded that weak RF/microwave fields, such as those emitted by mobile phones, can affect various immune functions both *in vitro* and *in vivo* [101]. Although the effects are historically somewhat inconsistent, most research studies document alterations in the number and activity of immune cells from RF exposure. In general, short-term exposure to weak microwave radiation may temporarily stimulate an innate or adaptive immune response, but prolonged irradiation inhibits those same functions.

In the acute phase of COVID-19 infection, blood tests demonstrate elevated ESR, C-reactive protein, and other elevated inflammatory markers [102], typical of an innate immune response. Rapid viral replication can cause death of epithelial and endothelial cells and result in leaky blood vessels and pro-inflammatory cytokine release [103]. Cytokines, proteins, peptides, and proteoglycans that modulate the body's immune response, are modestly elevated in patients with mild-to-moderate disease severity [104]. In those with severe disease, an uncontrolled release of pro-inflammatory cytokines--a cytokine storm--can occur. Cytokine storms originate from an imbalance in T-cell activation with dysregulated release of IL-6, IL-17, and other cytokines. Programmed cell death (apoptosis), ARDS, DIC, and multi-organ system failure can all result from a cytokine storm and increase the risk of mortality.

By comparison, Soviet researchers found in the 1970s that radiofrequency radiation can damage the immune system of animals. Shandala [105] exposed rats to 0.5 mW/cm^2 microwaves for 1 month, 7 h/day, and found impaired immune competence and induction of autoimmune disease. Rats irradiated with 2.45 GHz at 0.5 mW/cm^2 for 7 h daily for 30 days produced autoimmune reactions, and 0.1 – 0.5 mW/cm^2 produced persistent pathological immune reactions [106]. Exposure to microwave radiation, even at low levels (0.1 – 0.5 mW/cm^2), can impair immune function, causing physical alterations in the essential cells of the immune system and a degradation of immunologic responses [107]. Szabo *et al.* [108] examined the effects of 61.2 GHz exposure on epidermal keratinocytes and found an increase in IL-1b, a pro-inflammatory cytokine. Makar *et al.* [109] found that immunosuppressed mice irradiated 30 min/day for 3 days by 42.2 GHz showed increased levels of TNF-α, a cytokine produced by macrophages.

In short, COVID-19 can lead to immune dysregulation as well as cytokine storms. By comparison, exposure to low-level WCR as observed in animal studies can also compromise the immune system, with chronic daily exposure producing immunosuppression or immune dysregulation including hyperactivation.

3.4. Increased intracellular calcium

In 1992, Walleczek first suggested that ELF electromagnetic fields (<3000 Hz) may be affecting membrane-mediated Ca^{2+} signaling and lead to increased intracellular Ca^{2+} [110]. The mechanism of irregular gating of voltage-gated ion channels in cell membranes by polarized and coherent, oscillating electric or magnetic fields was first presented in 2000 and 2002 [40,111]. Pall [112] in his review of WCR-induced bioeffects combined with use of calcium channel blockers (CCB) noted that voltage-gated calcium channels play a major role in WCR bioeffects. Increased intracellular Ca^{+2} results from the activation of voltage-gated calcium channels, and this may be one of the primary mechanisms of action of WCR on organisms.

Intracellular Ca^{2+} is essential for virus entry, replication, and release. It has been reported that some viruses can manipulate voltage-gated calcium channels to increase intracellular Ca^{2+} thereby facilitating viral entry and replication [113]. Research has shown that the interaction between a virus and voltage-gated calcium channels promote virus entry at the virus-host cell fusion step [113]. Thus, after the virus binds to its receptor on a host cell and enters the cell through endocytosis, the virus takes over the host cell to manufacture its components. Certain viral proteins then manipulate calcium channels, thereby increasing intracellular Ca^{2+}, which facilitates further viral replication.

Even though direct evidence has not been reported, there is indirect evidence that increased intracellular Ca^{2+} may be involved in COVID-19. In a recent study, elderly hospitalized COVID-19 patients treated with CCBs, amlodipine or nifedipine, were more likely to survive and less likely to require intubation or mechanical ventilation than controls [114]. Furthermore, CCBs strongly limit SARS-CoV-2 entry and infection in cultured epithelial lung cells [115]. CCBs also block the increase of intracellular Ca^{2+} caused by WCR exposure as well as exposure to other electromagnetic fields [112].

Intracellular Ca^{2+} is a ubiquitous second messenger relaying signals received by cell surface receptors to effector proteins involved in numerous biochemical processes. Increased intracellular Ca^{2+} is a significant factor in upregulation of transcription nuclear factor KB (NF-κB) [116], an important regulator of pro-inflammatory cytokine production as well as coagulation and thrombotic cascades. NF-κB is hypothesized to be a key factor underlying severe clinical manifestations of COVID-19 [117].

In short, WCR exposure, therefore, may enhance the infectivity of the virus by increasing intracellular Ca^{2+} that may also indirectly contribute to inflammatory processes and thrombosis.

3.5. Cardiac effects

upregulation of the sympathetic nervous system, which is associated with the stress response. Saili *et al.* [127] found that exposure to Wi-Fi (2.45 GHz pulsed at 10 Hz) affects heart rhythm, blood pressure, and the efficacy of catecholamines on the cardiovascular system, indicating that WCR can act directly and/or indirectly on the cardiovascular system. Most recently, Bandara and Weller [91] present evidence that people who live near radar installations (millimeter waves: 5G frequencies) have a greater risk of developing cancer and experiencing heart attacks. Similarly, those occupationally exposed have a greater risk of coronary heart disease. Microwave radiation affects the heart, and some people are more vulnerable if they have an underlying heart abnormality [128]. More recent research suggests that millimeter waves may act directly on the pacemaker cells of the sinoatrial node of the heart to change the beat frequency, which may underlie arrhythmias and other cardiac issues [47].

In short, both COVID-19 and WCR exposure can affect the heart and cardiovascular system, directly and/or indirectly.

Go to:

4. Discussion

Epidemiologists, including those at the CDC, consider multiple causal factors when evaluating the virulence of an agent and understanding its ability to spread and cause disease. Most importantly, these variables include environmental cofactors and the health status of the host. Evidence from the literature summarized here suggests a possible connection between several adverse health effects of WCR exposure and the clinical course of COVID-19 in that WCR may have worsened the COVID-19 pandemic by weakening the host and exacerbating COVID-19 disease. However, none of the observations discussed here prove this linkage. Specifically, the evidence does not confirm causation. Clearly COVID-19 occurs in regions with little wireless communication. Furthermore, the relative morbidity caused by WCR exposure in COVID-19 is unknown.

We recognize that many factors have influenced the pandemic's course. Before restrictions were imposed, travel patterns facilitated the seeding of the virus, causing early rapid global spread. Population density, higher mean population age, and socioeconomic factors certainly influenced early viral spread. Air pollution, especially particulate matter $PM_{2.5}$ (2.5 micro-particulates), likely increased symptoms in patients with COVID-19 lung disease [129].

We postulate that WCR possibly contributed to the early spread and severity of COVID-19. Once an agent becomes established in a community, its virulence increases [130]. This premise can be applied to the COVID-19 pandemic. We surmise that "hot spots" of the disease that initially spread around the world were perhaps seeded by air travel, which in some areas were associated with 5G implementation. However, once the disease became established in those communities, it was able to spread more easily to neighboring regions where populations were less exposed to WCR. Second and third waves of the pandemic disseminated widely throughout communities with and without WCR, as might be expected.

European Academy of Environmental Medicine, have proposed much lower guidelines, taking into account nonthermal bioeffects from WCR exposure in multiple sources [132].

Another weakness of this paper is that some of the bioeffects from WCR exposure are inconsistently reported in the literature. Replicated studies are often not true replications. Small differences in method, including unreported details, such as prior history of exposure of the organisms, non-uniform body exposure, and other variables can lead to inadvertent inconsistency. Moreover, not surprisingly, industry-sponsored studies tend to show less adverse bioeffects than studies conducted by independent researchers, suggesting industry bias [133]. Some experimental studies that are not industry-sponsored have also shown no evidence of harmful effects of WCR exposure. It is noteworthy, however, that studies employing real-life WCR exposures from commercially available devices have shown high consistency in revealing adverse effects [134].

WCR bioeffects depend on specific values of wave parameters including frequency, power density, polarization, exposure duration, modulation characteristics, as well as the cumulative history of exposure and background levels of electromagnetic, electric and magnetic fields. In laboratory studies, bioeffects observed also depend on genetic parameters and physiological parameters such as oxygen concentration [135]. The reproducibility of bioeffects of WCR exposure has sometimes been difficult due to failure to report and/or control all of these parameters. Similar to ionizing radiation, the bioeffects of WCR exposure can be subdivided into deterministic, that is, dose-dependent effects and stochastic effects that are seemingly random. Importantly, WCR bioeffects can also involve "response windows" of specific parameters whereby extremely low-level fields can have disproportionally detrimental effects [136]. This nonlinearity of WCR bioeffects can result in biphasic responses such as immune suppression from one range of parameters, and immune hyperactivation from another range of parameters, leading to variations that may appear inconsistent.

In gathering reports and examining existing data for this paper, we looked for outcomes providing evidence to support a proposed connection between the bioeffects of WCR exposure and COVID-19. We did not make an attempt to weigh the evidence. The radiofrequency radiation exposure literature is extensive and currently contains over 30,000 research reports dating back several decades. Inconsistencies in nomenclature, reporting of details, and cataloging of keywords make it difficult to navigate this enormous literature.

Another shortcoming of this paper is that we do not have access to experimental data on 5G exposures. In fact, little is known about population exposure from real-world WCR, which includes exposure to WCR infrastructure and the plethora of WCR emitting devices. In relation to this, it is difficult to accurately quantify the average power density at a given location, which varies greatly, depending on the time, specific location, time-averaging interval, frequency, and modulation scheme. For a specific municipality it depends on the antenna density, which network protocols are used, as, for example, 2G, 3G, 4G, 5G, Wi-Fi, WiMAX (Worldwide Interoperability for Microwave Access), DECT (Digitally Enhanced Cordless Telecommunications), and RADAR (Radio Detection and Ranging). There is also WCR from ubiquitous radio wave transmitters, including antennas, base stations, smart meters, mobile phones, routers, satellites, and other wireless devices currently in use. All of these signals

because multiple toxins may lead to synergistic effects. Environmental impact assessments are also needed. Once the long-term biological effects of wireless 5G are understood, we can set clear safety standards of public exposure limits and design an appropriate strategy for safe deployment.

Go to:

5. Conclusion

There is a substantial overlap in pathobiology between COVID-19 and WCR exposure. The evidence presented here indicates that mechanisms involved in the clinical progression of COVID-19 could also be generated, according to experimental data, by WCR exposure. Therefore, we propose a link between adverse bioeffects of WCR exposure from wireless devices and COVID-19.

Specifically, evidence presented here supports a premise that WCR and, in particular, 5G, which involves densification of 4G, may have exacerbated the COVID-19 pandemic by weakening host immunity and increasing SARS-CoV-2 virulence by (1) causing morphologic changes in erythrocytes including echinocyte and rouleaux formation that may be contributing to hypercoagulation; (2) impairing microcirculation and reducing erythrocyte and hemoglobin levels exacerbating hypoxia; (3) amplifying immune dysfunction, including immunosuppression, autoimmunity, and hyperinflammation; (4) increasing cellular oxidative stress and the production of free radicals exacerbating vascular injury and organ damage; (5) increasing intracellular Ca^{2+} essential for viral entry, replication, and release, in addition to promoting pro-inflammatory pathways; and (6) worsening heart arrhythmias and cardiac disorders.

WCR exposure is a widespread, yet often neglected, environmental stressor that can produce a wide range of adverse bioeffects. For decades, independent research scientists worldwide have emphasized the health risks and cumulative damage caused by WCR [42,45]. The evidence presented here is consistent with a large body of established research. Healthcare workers and policymakers should consider WCR a potentially toxic environmental stressor. Methods for reducing WCR exposure should be provided to all patients and the general population.

Go to:

Acknowledgments

The authors acknowledge small contributions to early versions of this paper by Magda Havas and Lyn Patrick. We are grateful to Susan Clarke for helpful discussions and suggested edits of early drafts of the manuscript.

Go to:

Conflict of Interest

[14] CNIRP. International Commission on Non-Ionizing Radiation Protection (ICNIRP) Guidelines for Limiting Exposure to Electromagnetic Fields (100 kHz to 300 GHz) Health Phys. 2020;118:483–524. [PubMed] [Google Scholar]
[15] Bortkiewicz A, Gadzicka E, Szymczak W. Mobile Phone Use and Risk for Intracranial Tumors and Salivary Gland Tumors A Meta-analysis. Int J Occup Med Environ Health. 2017;30:27–43. [PubMed] [Google Scholar]
[16] Sangün Ö, Dündar B, Çömlekçi S, Büyükgebiz A. The Effects of Electromagnetic Field on the Endocrine System in Children and Adolescents. Pediatr Endocrinol Rev. 2016;13:531–45. [PubMed] [Google Scholar]
[17] Yakymenko I, Tsybulin O, Sidorik E, Henshel D, Kyrylenko O, Kyrylenko S. Oxidative Mechanisms of Biological Activity of Low-intensity Radiofrequency Radiation. Electromagn Biol Med. 2016;35:186–202. [PubMed] [Google Scholar]
[18] Ruediger HW. Genotoxic Effects of Radiofrequency Electromagnetic Fields. Pathophysiology. 2009;16:89–102. [PubMed] [Google Scholar]
[19] Asghari A, Khaki AA, Rajabzadeh A, Khaki A. A Review on Electromagnetic Fields (EMFs) and the Reproductive System. Electron Physician. 2016;8:2655–62. [PMC free article] [PubMed] [Google Scholar]
[20] Zhang J, Sumich A, Wang GY. Acute Effects of Radiofrequency Electromagnetic Field Emitted by Mobile Phone on Brain Function. Bioelectromagnetics. 2017;38:329–38. [PubMed] [Google Scholar]
[21] Pall ML. Microwave Frequency Electromagnetic Fields (EMFs) Produce Widespread Neuropsychiatric Effects Including Depression. J Chem Neuroanat. 2016;75:43–51. [PubMed] [Google Scholar]
[22] Avendano C, Mata A, Sanchez Sarmiento CA, Doncel GF. Use of Laptop Computers Connected to Internet through Wi-Fi Decreases Human Sperm Motility and Increases Sperm DNA Fragmentation. Fertil Steril. 2012;97:39–45. [PubMed] [Google Scholar]
[23] Buchner K, Eger H. Changes of Clinically Important Neurotransmitters under the Influence of Modulated RF Fields a Long-term Study Under Real-life Conditions Umwelt Medizin Gesellschaft. 2011;24:44–57. [Google Scholar]
[24] Navarro EA, Segura J, Portoles M, Gomez-Perretta C. The Microwave Syndrome:A Preliminary Study in Spain. Electromagn Biol Med. 2003;22:161–9. [Google Scholar]
[25] Hutter HP, Moshammer H, Wallner P, Kundi M. Subjective Symptoms, Sleeping Problems, and Cognitive Performance in Subjects Living Near Mobile Phone Base Stations. Occup Environ Med. 2006;63:307–13. [PMC free article] [PubMed] [Google Scholar]
[26] Magras IN, Xenos TD. RF Radiation-induced Changes in the Prenatal Development of Mice. Bioelectromagnetics. 1997;18:455–61. [PubMed] [Google Scholar]
[27] Glaser ZR. Project MF12.524.015-00043 Report No. 2. Bethesda, MD: Naval Medical Research Institute; 1972. Bibliography of Reported Biological Phenomena ('Effects') and Clinical Manifestations Attributed to Microwave and Radio-Frequency Radiation Research Report; pp. 1–103. [Google Scholar]
[28] Glaser ZR, Brown PF, Brown MS. Bibliography of Reported Biological Phenomena (Effects) and Clinical Manifestations Attributed to Microwave and Radio-Frequency Radiation:Compilation and Integration of Report and Seven Supplements. Bethesda, MD:Naval Medical Research Institute. 1976:1–178. [Google Scholar]

[45] Russell CL. 5G Wireless Telecommunications Expansion:Public Health and Environmental Implications. Environ Res. 2018;165:484–95. [PubMed] [Google Scholar]
[46] Miller AB, Sears ME, Morgan LL, Davis DL, Hardell L, Oremus M, et al. Risks to Health and Well-being from Radio-frequency Radiation Emitted by Cell Phones and Other Wireless Devices. Public Health Front. 2019;7:223. [PMC free article] [PubMed] [Google Scholar]
[47] Pakhomov AG, Akyel Y, Pakhomova ON, Stuck BE, Murphy MR. Current State and Implications of Research on the Biological Effects of Millimeter Waves. Bioelectromagnetics. 1998;19:393–413. [PubMed] [Google Scholar]
[48] Betskii OV, Lebedeva NN. In:Clinical Application of Bioelectromagnetic Medicine. New York: Marcel Decker; 2004. Low-intensity Millimeter Waves in Biology and Medicine; pp. 30–61. [Google Scholar]
[49] Kostoff RN, Block JA, Solka JL, Briggs MB, Rushenberg RL, Stump JA, et al. Literature-Related Discovery:A Review. Report to the Office of Naval Research. 2007:1–58. [Google Scholar]
[50] Havas M. Radiation from Wireless Technology Affects the Blood, Heart, and the Autonomic Nervous System. Rev Environ Health. 2013;28:75–84. [PubMed] [Google Scholar]
[51] Rubik B. Does Short-term Exposure to Cell Phone Radiation Affect the Blood? Wise Trad Food Farm Heal Arts. 2014;15:19–28. [Google Scholar]
[52] Wagner C, Steffen P, Svetina S. Aggregation of Red Blood Cells:From Rouleaux to Clot Formation. Comput Rendus Phys. 2013;14:459–69. [Google Scholar]
[53] Lakhdari N, Tabet B, Boudraham L, Laoussati M, Aissanou S, Beddou L, et al. Red Blood Cells Injuries and Hypersegmented Neutrophils in COVID-19 Peripheral. medRxiv. 2020;2020:20160101. [Google Scholar]
[54] Lei Y, Zhang J, Schiavon CR, He M, Chen L, Shen H, et al. SARS-CoV-2 Spike Protein Impairs Endothelial Function Via Downregulation of ACE2. Circ Res. 2021;128:1323–6. [PMC free article] [PubMed] [Google Scholar]
[55] Zhang S, Liu Y, Wang X, Yang L, Li H, Wang Y, et al. SARS-CoV-2 Binds Platelet ACE2 to Enhance Thrombosis in COVID-19. J Hematol Oncol. 2020;13:120. [PMC free article] [PubMed] [Google Scholar]
[56] Zalyubovskaya NP. Biological Effect of Millimeter Radiowaves. Vrachebnoye Delo. 1977;3:116–9. [PubMed] [Google Scholar]
[57] Zalyubovskaya NP, Kiselev RI. Effects of Radio Waves of a Millimeter Frequency Range on the Body of Man and Animals. Gigiyna I Sanitaria. 1978;8:35–9. [Google Scholar]
[58] Wenzhong L, Li H. COVID-19 Attacks the 1-beta Chain of Hemoglobin and Captures the Porphyrin to Inhibit Heme Metabolism. ChemRxiv. 2020;2020:26434. [Google Scholar]
[59] Lippi G, Mattiuzzi C. Hemoglobin Value May be Decreased in Patients with Severe Coronavirus Disease 2019. Hematol Transfus Cell Ther. 2020;42:116–7. [PMC free article] [PubMed] [Google Scholar]
[60] Chen L, Li X, Chen M, Feng Y, Xiong C. The ACE2 Expression in Human Heart Indicates New Potential Mechanism of Heart Injury among Patients Infected with SARS-CoV-2. Cardiovasc Res. 2020;116:1097–100. [PMC free article] [PubMed] [Google Scholar]
[61] Algassim, AA, Elghazaly AA, Alnahdi AS, Mohammed-Rahim OM, Alanazi AG, Aldhuwayhi NA, et al. Prognostic Significance of Hemoglobin Level and Autoimmune Hemolytic Anemia in SARS-CoV-2 Infection. Ann Hematol. 2021;100:37–43. [PMC free article] [PubMed] [Google Scholar]

Microvascular Complications and Glycemia. PLoS One. 2018;13:e0198626. [PMC free article] [PubMed] [Google Scholar]
[77] Horowitz RI, Freeman PR, Bruzzese J. Efficacy of Glutathione Therapy in Relieving Dyspnea Associated with COVID-19 Pneumonia:A Report of 2 Cases. Respir Med. 2020;30:101063. [PMC free article] [PubMed] [Google Scholar]
[78] Peraica M, Marijanovic AM, Flajs D, Domijan AM, Gajski G, Garaj-Vrhovac G. Oxidative Stress in Workers Occupationally Exposed to Microwave Radiation. Toxicol Lett. 2008;180:38–9. [Google Scholar]
[79] Garaj-Vrhovac V, Gajski G, Pazanin S, Sarolic A, Domijan D, Flajs D, et al. Assessment of Cytogenetic Damage and Oxidative Stress in Personnel Occupationally Exposed to the Pulsed Microwave Radiation of Marine Radar Equipment. Int J Hyg Environ Health. 2011;214:59–65. [PubMed] [Google Scholar]
[80] Zothansiama Zosangzuali M, Lalramdinpuii M, Jagetia GC. Impact of Radiofrequency Radiation on DNA Damage and Antioxidants in Peripheral Blood Lymphocytes of Humans Residing in the Vicinity of Mobile Phone Base Stations. Electromagn Biol Med. 2017;36:295–305. [PubMed] [Google Scholar]
[81] Moustafa YM, Moustafa RM, Belacy A, Abou-El-Ela SH, Ali FM. Effects of Acute Exposure to the Radiofrequency Fields of Cellular Phones on Plasma Lipid Peroxide and Anti-oxidase Activities in Human Erythrocytes. J Pharm Biomed Anal. 2001;26:605–8. [PubMed] [Google Scholar]
[82] Hassan NS, Rafaat BM, Aziz SW. Modulatory Role of Grape Seed Extract on Erythrocyte Hemolysis and Oxidative Stress Induced by Microwave Radiation in Rats. Int J Integr Biol. 2010;10:106–11. [Google Scholar]
[83] Yurekli AI, Ozkan M, Kalkan T, Saybasili H, Tuncel H, Atukeren P, et al. GSM Base Station Electromagnetic Radiation and Oxidative Stress in Rats. Electromagn Biol Med. 2006;25:177–88. [PubMed] [Google Scholar]
[84] Dasdag S, Bilgin HM, Akdag MZ, Celik H, Aksen F. Effect of Long-term Mobile Phone Exposure on Oxidative-antioxidative Processes and Nitric Oxide in Rats. Biotechnol Biotechnol Equip. 2008;22:992–7. [Google Scholar]
[85] Alkis ME, Akdag MZ, Dasdag S. Effects of low?intensity Microwave Radiation on Oxidant?antioxidant Parameters and DNA Damage in the Liver of rats. Bioelectromagnetics. 2021;42:76–85. [PubMed] [Google Scholar]
[86] Loscalzo J. Oxidant Stress:A Key Determinant of Atherothrombosis. Biochem Soc Trans. 2003;31:1059–61. [PubMed] [Google Scholar]
[87] Tang N, Li D, Wang X, Sun Z. Abnormal Coagulation Parameters are Associated with Poor Prognosis in Patients with Novel Coronavirus Pneumonia. J Thromb Haemost. 2020;18:844–7. [PMC free article] [PubMed] [Google Scholar]
[88] Klok FA, Kruip MJ, Van der Meer NJ, Arbous MS, Gommers DA, Kant KM, et al. Incidence of Thrombotic Complications in Critically ill ICU Patients with COVID-19. Thromb Res. 2020;191:145–7. [PMC free article] [PubMed] [Google Scholar]
[89] Zaim S, Chong JH, Sankaranarayanan V, Harky A. COVID-19 and Multi-Organ Response. Curr Probl Cardiol. 2020;2020:100618. [PMC free article] [PubMed] [Google Scholar]
[90] Yaghi S, Ishida K, Torres J, Mac Grory B, Raz E, Humbert K, et al. SARS-CoV-2 and Stroke in a New York Healthcare System. Stroke. 2020;51:2002–11. [PMC free article] [PubMed] [Google Scholar]

[108] Szabo I, Rojavin MA, Rogers, TJ, Ziskin MC. Reactions of Keratinocytes to *In Vitro* Millimeter Wave Exposure. Bioelectromagnetics. 2001;22:358–64. [PubMed] [Google Scholar]
[109] Makar V, Logani M, Szabo I, Ziskin M. Effect of Millimeter Waves on Cyclophosphamide Induced Suppression of T Cell Functions. Bioelectromagnetics. 2003;24:356–65. [PubMed] [Google Scholar]
[110] Walleczek J. Electromagnetic Field Effects on Cells of the Immune System:The Role of Calcium Signaling. FASEB J. 1992;6:3177–85. [PubMed] [Google Scholar]
[111] Panagopoulos DJ, Messini N, Karabarbounis A, Filippetis AL, Margaritis LH. A Mechanism for Action of Oscillating Electric Fields on Cells. Biochem Biophys Res Commun. 2000;272:634–40. [PubMed] [Google Scholar]
[112] Pall ML. Electromagnetic Fields Act Via Activation of Voltage-gated Calcium Channels to Produce Beneficial or Adverse Effects. J Cell Mol Med. 2013;17:958–65. [PMC free article] [PubMed] [Google Scholar]
[113] Chen X, Cao R, Zhong W. Host Calcium Channels and Pumps in Viral Infections. Cells. 2019;9:94. [PMC free article] [PubMed] [Google Scholar]
[114] Solaimanzadeh I. Nifedipine and Amlodipine are Associated with Improved Mortality and Decreased Risk for Intubation and Mechanical Ventilation in Elderly Patients Hospitalized for COVID-19. Cureus. 2020;12:e8069. [PMC free article] [PubMed] [Google Scholar]
[115] Straus MR, Bidon M, Tang T, Whittaker GR, Daniel S. FDA Approved Calcium Channel Blockers Inhibit SARS-CoV-2 Infectivity in Epithelial Lung Cells. BioRxiv. 2020;2020:214577. [Google Scholar]
[116] Sen CK, Roy S, Packer L. Involvement of Intracellular Ca^{2+} in Oxidant-Induced NF-κB Activation. FEBS Lett. 1996;385:58–62. [PubMed] [Google Scholar]
[117] Do LA, Anderson J, Mulholland EK, Licciardi PV. Can Data from Paediatric Cohorts Solve the COVID-19 Puzzle? PLoS Pathog. 2020;16:e1008798. [PMC free article] [PubMed] [Google Scholar]
[118] Atri D, Siddiqi HK, Lang JP, Nauffal V, Morrow DA, Bohula EA. COVID-19 for the Cardiologist:Basic Virology, Epidemiology, Cardiac Manifestations, and Potential Therapeutic Strategies. JACC Back Transl Sci. 2020;5:518–36. [PMC free article] [PubMed] [Google Scholar]
[119] Dherange P, Lang J, Qian P, Oberfeld B, Sauer WH, Koplan B, et al. Arrhythmias and COVID-19:A Review. JACC Clin Electrophysiol. 2020;6:1193–204. [PMC free article] [PubMed] [Google Scholar]
[120] Colon CM, Barrios JG, Chiles JW, McElwee SK, Russell DW, Maddox WR, et al. Atrial Arrhythmias in COVID-19 Patients. JACC Clin Electrophysiol. 2020;6:1189–90. [PMC free article] [PubMed] [Google Scholar]
[121] Gökmen N, Erdem S, Toker KA, Ocmen E, Ozkure A. Analyzing Exposures to Electromagnetic Fields in an Intensive Care Unit. Turk J Anaesthesiol Reanim. 2016;44:236–40. [PMC free article] [PubMed] [Google Scholar]
[122] Sandoval Y, Januzzi JL, Jaffe AS. Cardiac Troponin for Assessment of Myocardial Injury in COVID-19. J Am Coll Cardiol. 2020;76:1244–58. [PMC free article] [PubMed] [Google Scholar]
[123] Dodge CH. Clinical and Hygienic Aspects of Exposure to Electromagnetic Fields. Biological Effects and Health Implications of Microwave Radiation. A Review of the Soviet and Eastern European Literature. In:Symposium Proceedings, Richmond, VA. 1969 Sep 17. [Google Scholar]

[139] Tretyakov MY, Koshelev MA, Dorovskikh VV, Makarov DS, Rosenkranz PW. 60-GHz Oxygen Band:Precise Broadening and Central Frequencies of Fine-Structure Lines, Absolute Absorption Profile at Atmospheric Pressure, and Revision of Mixing Coefficients. J Mol Spectrosc. 2005;231:1–14. [Google Scholar]
[140] Torgomyan H, Kalantaryan V, Trchounian A. Low Intensity Electromagnetic Irradiation with 70.6 and 73 GHz Frequencies Affects *Escherichia coli* Growth and Changes Water Properties. Cell Biochem Biophys. 2011;60:275–81. [PubMed] [Google Scholar]
[141] Kostoff RN, Heroux P, Aschner M, Tsatsakis A. Adverse Health Effects of 5G Mobile Networking Technology Under Real-life Conditions. Toxicol Lett. 2020;323:35–40. [PubMed] [Google Scholar]

LACKAWANNA CITY CLERK

Jeffrey P. DePasquale
City Clerk
Registrar of Vital Statistics

8

December 3, 2021

Honorable Council President
Honorable Council Members
714 Ridge Road
Lackawanna, NY 14218

Dear City Council Members,

The term of Tami Nicholson, Senior Bingo Inspector, is due to expire December 31, 2021. I am requesting your honorable body re-appoint her to another term. Tami, as the senior inspector, has a wealth of knowledge that this office utilizes to assist the other bingo inspectors in the performance of their duties. The term is for four (4) years and would expire December 31, 2025.

Thank you for your anticipated cooperation with this matter.

Respectfully,

Jeffrey P. DePasquale
City Clerk

Cc: Tami Nicholson
File

RECEIVED
LACKAWANNA CITY CLERK
2021 DEC -3 AM 9:17

Gmail

Jeffrey P. DePasquale <cityclerk@lackny.com>

Tami Nicholson

1 message

Tami Nicholson <tami10531@yahoo.com> Sun, Dec 5, 2021 at 10:24 AM
To: "cityclerk@lackny.com" <cityclerk@lackny.com>

Jeff,

In regards to the Sr. Bingo Inspector position, as you are aware my term expires on December 31, 2021. I would like to be reappointed.

Thank you,

Tami Nicholson

LACKAWANNA CITY CLERK

Jeffrey P. DePasquale
City Clerk
Registrar of Vital Statistics

9

December 15, 2021

Honorable Council President
Honorable Council Members
714 Ridge Road
Lackawanna, NY 14218

Dear Council Members,

Attached is a resolution extending the Council meeting remote zoom format through January 15, 2022, as allowed by legislation passed by the New York State Legislature and signed into law by Governor Kathy Hochul.

Please review the resolution and act as your Honorable Body sees fit.

Thank you for your time and consideration.

Respectfully,

Jeffrey P. DePasquale
City Clerk

Cc: Law Department
File

Resolution # _____, 2021

9A

Whereas, Chapter 3, Section 3.7 of the Charter of the City of Lackawanna provides for meeting dates, time and location of the Lackawanna City Council; and

Whereas, the City Council is desirous of complying with the City of Lackawanna Open Meetings Law of the State of New York; and

Whereas, the City Council is sensitive to the health, safety and welfare of our citizens and public officials with regards to the different variants of the COVID-19 virus; and

Whereas, the City Council is desirous of continuing the meetings of the City Council in a location and format that maintains the safety and well-being of our citizens and public officials by continuing the remote zoom format, effective with the reorganizational meeting of January 3, 2022, and inclusive of any regular and special meetings through January 15, 2022;

Therefore be it resolved, that City Council meetings effectively conducted via remote zoom format are hereby continued to be held in such format, effective Monday, January 3, 2022 through January 15, 2022, or until such time this resolution is rescinded by this honorable body; and

Be it further resolved that the start time of regular City Council meetings shall begin immediately after the caucus, scheduled before each regular meeting at 6:30 p.m. A copy of this resolution shall be posted on the bulletin board in the main lobby of City Hall, the Council bulletin board, the City Clerk's Office and on the official website for the city.

THIS RESOLUTION SHALL TAKE EFFECT IMMEDIATELY.

Dated: December 20, 2021
Lackawanna, New York

Approved:

Frederic J. Marrano, Council President

CAROLYN NICOMETO
City Comptroller

DEPARTMENT OF ADMINISTRATION AND FINANCE
Office of the City Comptroller

City Hall, 714 Ridge Road, Room 305
Lackawanna, New York 14218
716-827-6481

10-1

December 13, 2021

Honorable Frederic J. Marrano, President
Honorable Members of the City Council
714 Ridge Road
Lackawanna, NY 14218

Dear Council Members:

Please be advised that Patrol Officer Daniel Sawicki has retired effective October 2, 2021.

If you have any questions please feel free to contact me.

Sincerely,

Carolyn A. Nicometo
City Comptroller

CAN

Cc: File

RECEIVED
LACKAWANNA CITY CLERK
2021 DEC 13 AM 9:46

CAROLYN NICOMETO
City Comptroller

DEPARTMENT OF ADMINISTRATION AND FINANCE
Office of the City Comptroller

City Hall, 714 Ridge Road, Room 305
Lackawanna, New York 14218
716-827-6481

10-2

December 13, 2021

Honorable Frederic J. Marrano, President
Honorable Members of the City Council
714 Ridge Road
Lackawanna, NY 14218

Dear Council Members:

Please be advised that Patrol Officer Paul Fino has retired effective October 2, 2021.

If you have any questions please feel free to contact me.

Sincerely,

Carolyn A. Nicometo
City Comptroller

CAN

Cc: File

CAROLYN NICOMETO
City Comptroller

DEPARTMENT OF ADMINISTRATION AND FINANCE
Office of the City Comptroller

City Hall, 714 Ridge Road, Room 305
Lackawanna, New York 14218
716-827-6481

10-3

December 9, 2021

Honorable Frederic J. Marrano, President
Honorable Members of the City Council
714 Ridge Road
Lackawanna, NY 14218

Dear Council Members:

Please be advised that Clerk, Linda Smerka has retired effective October 31, 2021.

If you have any questions please feel free to contact me.

Sincerely,

Carolyn A. Nicometo
City Comptroller

CAN

Cc: File

RECEIVED
LACKAWANNA CITY CLERK
2021 DEC 13 AM 9:45

CITY OF LACKAWANNA – BUSINESS REGISTRATION APPLICATION

Chapter 88-City Code

Lackawanna City Hall, City Clerk-Room 215
714 Ridge Road
Lackawanna, New York 14218
(716) 827-6452

Applicant Name: Maher Said James St. Phone (716) 232-0123

Home Address: 22 James St Lackawanna, NY 14218 Date of Birth 09/06/1993

Business Name: Haleez LLC Business phone (716) 262-0020

Business Address: 954 Ridge Rd

Tax ID/SS#: _____ Business Website: _____ Email: Haleezwny@gmail.com

Emergency Contact Name: Nasseer Saeed Contact Phone (716) 444-1833

Type of Entity: Sole Proprietor__ Partnership__ Corporation__ LLC X

Type of Business Operation: Dessert Shop

New Registration X Renewing Registration__

Additional Business Information

Days/Hours of Operation: Mon - Sun 2pm - 10pm

Number of Employees (Full time/Part time): 3 Full time

Describe specific business activities in detail: making smoothies & scooping icecreame making waffles & crepes

If Licensed by NYS Alcoholic Beverage Control Board, License #: _____ Exp. Date: _____

Status of all applicable Federal, NYS and Erie County Licenses and/or approvals required for proposed business operation: Complete

Signature _____ Date 11/23/18

RECEIVING
LACKAWANNA CITY CLERK
2018 DEC -3 AM 9:17

RECEIVING
LACKAWANNA CITY CLERK
2018 DEC 13 AM 9:17

~Please process in the following order and forward on to the department next in line~

Date forwarded by Clerk's Office: 11/23/2021 by whom: Grace Marrero

Identification Bureau (Criminal Record Only) Date Received: 11/24/21

Inspector (Print Name): Lt W. Kucera

Comments: None

Signature: Lt W. Kucera Date Forwarded: 11/24/21

Code Enforcement (Property Code Compliance Only) Date Received: 11/30/21

Inspector (Print Name): SCOTT HAYES

Compliance: Yes: X No: ___

Comments:

Signature: Scott Hayes Date Forwarded: 11/30/21

Fire Inspector (Inspection by the Fire Department or Code Enforcement)

Inspector (Print Name): William Tosh

Compliance: Yes X No: ___

Comments: NONE

Signature: Wm Tosh Date Forwarded: 12-2-21

Director of Public Safety Date Received: 11/30/21

Recommend: Yes X No: ___

Comments: None

Signature: [signature] Date Forwarded: 12-7-21

Director of Development Date Received: 12-6-21

Recommend: Yes: ✓ No: ___

Comments: Request Site Plan Approval - Welcome Addition

Signature: [signature] Date Returned to Clerk's Office: 12-8-21